Author Index of Volume 471

Adams, H., 259

Bailey, N.A., 259
Berger, S., 35
Berke, H., 123
Bokorny, S., 157
Breckenridge, S.M., 211
Brunner, H., 117

Cambie, R.C., 133, 149
Canty, A.J., C8
Carty, A.J., 211
Che, C.-M., 277
Chen, W., 69
Cheng, W.C., 277
Cifuentes, M.P., 193
Cinquantini, A., 171
Colton, R., C8
Connor, J.A., 157
Costigan, M.J., 193
Crochet, P., 229
Cross, R.J., 273

Demerseman, B., 229
D'Ippolito, R., 97
Dixneuf, P.H., 229
Dzhemilev, U.M., 1

Eremenko, I.L., 123

Fäcke, T., 35
Farrugia, L.J., 273
Fernandez, A., 259
Fernandez, J.J., 259
Fischer, D.R., 97
Fischer, R.D., 87
Forster, G.D., 161
Friedrich, C., 249
Fröhlich, H.-O., 23
Fujita, R., 19
Fukuoka, A., C6

Gaede, P.E., 249
Gao, J.-X., 277
Gayoso, M., 259
Ghilardi, C.A., 29
Gibson, V.C., 105
Gladfelter, W.L., 201
Glidewell, C., 43, 71
Goh, S.C., 193
Gonzalez, M., 229
Görls, H., 23
Gräper, J., 87, 97
Gross, C., 201

Hayashi, H., 47
Hayashi, Y., 179
Hirano, M., C6
Hogarth, G., 161
Honeyman, R.T., C8
Hossain, Md.M., 185
Huang, Y.-Z., 77
Humphrey, M.G., 193

Jain, V.K., 53
Janiak, C., 171

Kabasawa, T., C6
Kaspar, H., 157
Katada, M., 179
Kawata, S., 179
Kee, T.P., 105
Khusnutdinov, R.I., 1
Kinoshita, T., 19
Kira, M., C4
Kolobkov, B.I., 123
Komiya, S., C6
Kowall, B., 39
Kravtsov, D.N., C1
Kuma, K.E.A., 273

Le Lagadec, R., 229
López, C., 265

Mahon, M.F., 185
Mangani, S., 171
Mathur, P., 185
Midollini, S., 29
Mitchell, T.N., 39
Mo, X.-S., 77
Moasser, B., 201
Mochida, K., 47
Mohmand, G.F., 241
Mokal, V.B., 53
Mori, S., 47
Müller, J., 249
Murata, N., 19

Nakamura, A., 111
Novotortsev, V.M., 123
Nuber, B., 117

Opromolla, G., 171
Orlandini, A., 29
Ortigueira, J.M., 259
Oyamada, T., C4

Paolucci, G., 87, 97
Pardi, L., 171
Pellinghelli, M.A., 211
Peregudov, A.S., C1
Pieper, U., 23
Poll, L., 117

Qian, C., 97
Qiao, K., 249

Rausch, M.D., 171
Renouard, C., 229
Rhodes, C.J., 43, 71
Roberts, A.S., C8
Rokhlina, E.M., C1
Rutledge, P.S., 133, 149

Saitovitch, E.B., 165
Sakurai, H., C4
Sappa, E., 211
Sato, M., 179
Shintate, H., 179
Skelton, B.W., C8, 193
Sodemann, S., 249
Solans, X., 265
Steed, J.W., 221
Stein, E., 165
Stevenson, R.J., 133, 149

Tahara, A., 111
Takeuchi, K., 19
Tatsumi, K., 111
Thiele, K., 241
Tiekink, E.R.T., 53
Tiripicchio, A., 211
Tocher, D.A., 221
Tokura, S., 47
Traill, P.R., C8
Tramuns, D., 265
Tudela, D., 63

Vacca, A., 29
Van der Zeijden, A.A.H., 123
Vichi, E.J.S., 165
Vila, J.M., 259

Wachter, J., 117
Wakasa, M., 47
Went, M.J., 241
White, A.H., C8, 193
Whittall, I.R., 193
Wong, W.-K., 277
Wong, W.-T., 277
Woodgate, P.D., 133, 149
Wyrwa, R., 23

Yamashita, K., C6
Yanagi, Y., 19
Ye, C., 97
Yoshizawa, C., 47

Zanello, P., 171
Zhang, L.-J., 77

Journal of Organometallic Chemistry, 471 (1994) C19–C25

Subject Index of Volume 471

Acetylene
On pentaorganylstiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes (L.-J. Zhang, X.-S. Mo and Y.-Z. Huang), 77

Aldehyde
On pentaorganylstiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes (L.-J. Zhang, X.-S. Mo and Y.-Z. Huang), 77

Alkoxide
Linear *vs.* bent M–O–R bonds in d^0 metal alkoxides: X-ray crystal structure of $(C_5Me_5)Ta(S^tBu)_3(O^nBu)$ and EHMO analysis (K. Tatsumi, A. Tahara and A. Nakamura), 111

Alkyne
Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes (G.F. Mohmand, K. Thiele and M.J. Went), 241

Allene
Chemistry of polynuclear allenyl complexes: the μ-$\eta^1:\eta^2$-allenyl diruthenium system $Ru_2(CO)_6(\mu\text{-}PPh_2)(\mu\text{-}\eta^1:\eta^2\text{-}C(Ph)=C=CH_2)$. Dimetallocycles via C–C, C–N and C–S bond forming reactions and the X-ray structure of $Ru_2(CO)_6(\mu\text{-}PPh_2)[\mu\text{-}\eta^1:\eta^1\text{-}PhC=C\{C(EtS)N(H)^tBu\}CH_2]$ (S.M. Breckenridge, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio and E. Sappa), 211
On pentaorganylstiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes (L.-J. Zhang, X.-S. Mo and Y.-Z. Huang), 77

Allyl
C–O bond cleavage and oxidative addition of allyl carboxylate to ruthenium(0) complex. Isolation of (π-allyl)(trifluoroacetato)tris(triethylphosphine)ruthenium(II) (S. Komiya, T. Kabasawa, K. Yamashita, M. Hirano and A. Fukuoka), C6
Coordination of primary amine ligands to an allyl ruthenium(IV) centre (J.W. Steed and D.A. Tocher), 221
Synthesis and molecular structure of the organometallic allylimido complex [*cis,trans*-$WCl_2(Ph_2PMe)_2(CO)(NCH_2CH=CH_2)$] (G.D. Forster and G. Hogarth), 161

AM1 calculations
Radical cations from trialkylsilanes: a computational study of structures and energetics (C. Glidewell and C.J. Rhodes), 43

Amine
Coordination of primary amine ligands to an allyl ruthenium(IV) centre (J.W. Steed and D.A. Tocher), 221

Antimony
On pentaorganylstiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes (L.-J. Zhang, X.-S. Mo and Y.-Z. Huang), 77

Arene
Ring A modification of podocarpic acid derivatives: functionalization and cyclopentaannulation of ring C *via* (η^6-arene)tricarbonylchromium(0) complexes (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 149
The hemilabile behaviour of alkyl diphenylphosphinoacetate ligands promoting the reversible coordination of small molecules on (η^6-arene)ruthenium(II) centres (B. Demerseman, C. Renouard, R. Le Lagadec, M. Gonzalez, P. Crochet and P.H. Dixneuf), 229

Arsenic, Sulfur
Neue FeAsS-Käfigstrukturen aus $[Cp^+Fe(CO)_2]_2$ ($Cp^+ = C_5Me_4Et$) und Realgar (H. Brunner, L. Poll, J. Wachter und B. Nuber), 117

Bipyridine
Complexes of polyhydro-2,2′-bipyridines with molybdenum and tungsten carbonyls (S. Bokorny, J.A. Connor and H. Kaspar), 157

Bis(phosphite)
Synthesis, structure, and oxidation-induced dimerization of a chelating bis(phosphite) Ruthenium carbonyl (B. Moasser, C. Gross and W.L. Gladfelter), 201

π-Bonding
Mössbauer spectroscopy of (benzylideneacetone)$Fe(CO)_2L$ complexes with L = CO, phosphites and phosphines. An analysis of ligand effects (E.J.S. Vichi, E. Stein and E.B. Saitovitch), 165

Borate
Trialkyltin cation in solution (M. Kira, T. Oyamada and H. Sakurai), C4

Bridging ligand
Chemistry of polynuclear allenyl complexes: the μ-$\eta^1:\eta^2$-allenyl diruthenium system $Ru_2(CO)_6(\mu\text{-}PPh_2)(\mu\text{-}\eta^1:\eta^2\text{-}C(Ph)=C=CH_2)$. Dimetallocycles via C–C, C–N and C–S bond forming reactions and the X-ray structure of $Ru_2(CO)_6(\mu\text{-}PPh_2)[\mu\text{-}\eta^1:\eta^1\text{-}PhC=C\{C(EtS)N(H)^tBu\}CH_2]$ (S.M. Breckenridge, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio and E. Sappa), 211
Cyclometallated compounds of palladium(II) with diphosphines. The X-ray crystal structure of $[\{Pd[2,3,4\text{-}(MeO)_3C_6HC(H)=NCy]\}_2(\mu\text{-}Ph_2PC(=CH_2)PPh_2)Cl_2]$ (J.M. Vila, M. Gayoso, J.J. Fernandez, J.M. Ortigueira, A. Fernandez, N.A. Bailey and H. Adams), 259
Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters $Cp_2Cr_2(\mu\text{-}SCMe_3)_2(\mu_4\text{-}S)W_2(\mu\text{-}I)_2(CO)_4(NO)_2$ and $Cp_2Cr_2(\mu_3\text{-}S)_2(\mu\text{-}SCMe_3)_2W(SCMe_3)(NO)$ (I.L. Eremenko, H. Berke, A.A.H. Van der Zeijden, B.I. Kolobkov and V.M. Novotortsev), 123

Butyl
The effects of t-butyl substituents on the thermodynamic stability of the cyclopentadienide ion (T. Kinoshita, N. Murata, R. Fujita, Y. Yanagi and K. Takeuchi), 19

Cage compound
Neue FeAsS-Käfigstrukturen aus $[Cp^+Fe(CO)_2]_2$ ($Cp^+ = C_5Me_4Et$) und Realgar (H. Brunner, L. Poll, J. Wachter und B. Nuber), 117
Carbonyl
Cyclopentaannulation of podocarpic acid derivatives *via* (η^6-arene)tricarbonylchromium(0) complexes; ring D modification (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 133
Mössbauer spectroscopy of (benzylideneacetone)$Fe(CO)_2L$ complexes with L = CO, phosphites and phosphines. An analysis of ligand effects (E.J.S. Vichi, E. Stein and E.B. Saitovitch), 165
Neue FeAsS-Käfigstrukturen aus $[Cp^+Fe(CO)_2]_2$ ($Cp^+ = C_5Me_4Et$) und Realgar (H. Brunner, L. Poll, J. Wachter und B. Nuber), 117
Structure of carbonylchloro(η^1-cyclopentadienyl) (methyldiphenylphosphine)platinum (R.J. Cross, L.J. Farrugia and K.E.A. Kuma), 273
Synthesis and molecular structure of the organometallic allylimido complex [*cis,trans*-$WCl_2(Ph_2PMe)_2(CO)(NCH_2CH{=}CH_2)$] (G.D. Forster and G. Hogarth), 161
Synthesis, structure, and oxidation-induced dimerization of a chelating bis(phosphite) Ruthenium carbonyl (B. Moasser, C. Gross and W.L. Gladfelter), 201
Cation
Trialkyltin cation in solution (M. Kira, T. Oyamada and H. Sakurai), C4
Charge transfer
Complexes of polyhydro-2,2′-bipyridines with molybdenum and tungsten carbonyls (S. Bokorny, J.A. Connor and H. Kaspar), 157
Chiral metallocenophanes
Lanthanocene (Ln = Pr^{III}, Yb^{III}) chlorides involving tetramethyldisiloxane-interlinked cyclopentadienyl ligands (J. Gräper, R.D. Fischer and G. Paolucci), 87
Chloride
New dinuclear bis(cyclopentadienyl)lanthanoid chlorides containing η^5-C_5H_4 ligands linked by a metal-coordinated 2,6-dimethylenepyridyl unit (G. Paolucci, R. D'Ippolito, C. Ye, C. Qian, J. Gräper and D.R. Fischer), 97
Chromium
Cyclopentaannulation of podocarpic acid derivatives *via* (η^6-arene)tricarbonylchromium(0) complexes; ring D modification (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 133
Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters $Cp_2Cr_2(\mu\text{-}SCMe_3)_2(\mu_4\text{-}S)W_2(\mu\text{-}I)_2(CO)_4(NO)_2$ and $Cp_2Cr_2(\mu_3\text{-}S)_2(\mu\text{-}SCMe_3)_2W(SCMe_3)(NO)$ (I.L. Eremenko, H. Berke, A.A.H. Van der Zeijden, B.I. Kolobkov and V.M. Novotortsev), 123
Neue FeAsS-Käfigstrukturen aus $[Cp^+Fe(CO)_2]_2$ ($Cp^+ = C_5Me_4Et$) und Realgar (H. Brunner, L. Poll, J. Wachter und B. Nuber), 117
π-Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen (J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao), 249
Ring A modification of podocarpic acid derivatives: functionalization and cyclopentaannulation of ring C *via* (η^6-arene)tricarbonylchromium(0) complexes (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 149
Cluster
Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters $Cp_2Cr_2(\mu\text{-}SCMe_3)_2(\mu_4\text{-}S)W_2(\mu\text{-}I)_2(CO)_4(NO)_2$ and $Cp_2Cr_2(\mu_3\text{-}S)_2(\mu\text{-}SCMe_3)_2W(SCMe_3)(NO)$ (I.L. Eremenko, H. Berke, A.A.H. Van der Zeijden, B.I. Kolobkov and V.M. Novotortsev), 123
Cobalt
Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes (G.F. Mohmand, K. Thiele and M.J. Went), 241
Copper
Synthesis and reactivity of *N,N′*-bis [*o*-(diphenylphosphino)benzylidene-2,2′-diimino-1,1′-binaphthylene (Binap-P_2N_2). Crystal structure of [Ag(Binap-P_2N_2)][BF_4] (W.-K. Wong, J.-X. Gao, W.-T. Wong, W.C. Cheng and C.-M. Che), 277
Correlation spectroscopy
Two-dimensional ^{13}C,^{199}Hg correlation: a new NMR method for characterisation of organomercury compounds (T. Fäcke and S. Berger), 35
Crystal structure
A reinvestigation of the crystal structure of the organotin complex formed in the reaction of butyltin trichloride with 1-(2-methyl-2,3-dihydrobenzothiazol-2-yl)-propan-2-one (W. Chen),9
Chemistry of polynuclear allenyl complexes: the μ-$\eta^1:\eta^2$-allenyl diruthenium system $Ru_2(CO)_6(\mu\text{-}PPh_2)(\mu\text{-}\eta^1:\eta^2\text{-}C(Ph){=}C{=}CH_2)$. Dimetallocycles via C–C, C–N and C–S bond forming reactions and the X-ray structure of $Ru_2(CO)_6(\mu\text{-}PPh_2)[\mu\text{-}\eta^1:\eta^1\text{-}PhC{=}C\{C(EtS)N(H)^tBu\}CH_2]$ (S.M. Breckenridge, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio and E. Sappa), 211
Formation of an endo-type nine-membered metallocycle *via* insertion of diphenylacetylene into the σ(Pd-Csp^2, ferrocene) bond. X-Ray crystal structure of $[Pd\{\{(C_6H_5{-}C{\equiv}C{-}C_6H_5)_2(\eta^5\text{-}C_5H_3){-}CH{=}N{-}.\ CH_2{-}C_6H_5\}Fe(\eta^5\text{-}C_5H_5)\}Cl]\cdot CH_2Cl_2$ (C. López, X. Solans and D. Tramuns), 265
Lanthanocene (Ln = Pr^{III}, Yb^{III}) chlorides involving tetramethyldisiloxane-interlinked cyclopentadienyl ligands (J. Gräper, R.D. Fischer and G. Paolucci), 87
Oxidation of organoplatinum(II) and -palladium(II) complexes by water. The X-ray structure of the trimethylpalladium(IV) complex *fac*-[$PdMe_3$(tris(pyrazol-1-yl)borate)] formed on oxidation of a dimethylpalladium(II) reagent (A.J. Canty, R.T. Honeyman, A.S. Roberts, P.R. Traill, R. Colton, B.W. Skelton and A.H. White), C8
Structure of carbonylchloro(η^1-cyclopentadienyl) (methyldiphenylphosphine)platinum (R.J. Cross, L.J. Farrugia and K.E.A. Kuma), 273
Synthesis and characterization of diorganotin diethylphosphorothioates. Crystal structures of $([Me_2Sn\{O(S)P(OEt)_2\}]_2O)_2$ and $[^tBu_2Sn(\mu\text{-}OH)\{O(S)P(OEt)_2\}]_2$ (V.B. Mokal, V.K. Jain and E.R.T. Tiekink), 53
Synthesis and molecular structure of the organometallic allylimido complex [*cis,trans*-$WCl_2(Ph_2PMe)_2(CO)(NCH_2CH{=}CH_2)$] (G.D. Forster and G. Hogarth), 161
Synthesis and reactivity of *N,N′*-bis [*o*-(diphenylphosphino)benzylidene-2,2′-diimino-1,1′-binaphthylene (Binap-P_2N_2). Crystal structure of [Ag(Binap-P_2N_2)][BF_4] (W.-K. Wong, J.-X. Gao, W.-T. Wong, W.C. Cheng and C.-M. Che), 277
Synthesis, structure, and oxidation-induced dimerization of a chelating bis(phosphite) Ruthenium carbonyl (B. Moasser, C. Gross and W.L. Gladfelter), 201

Vibrational and ^{119}Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV) (D. Tudela), 63

Cyclic germoxane
Photochemical reactions of germoxanes: generation of germyl and germoxy radicals (K. Mochida, S. Mori, C. Yoshizawa, S. Tokura, M. Wakasa and H. Hayashi), 47

Cyclometallation
Cyclometallated compounds of palladium(II) with diphosphines. The X-ray crystal structure of [{Pd[2,3,4-$(MeO)_3C_6$-HC(H)=NCy]}$_2$(μ-$Ph_2PC(=CH_2)PPh_2$)Cl_2] (J.M. Vila, M. Gayoso, J.J. Fernandez, J.M. Ortigueira, A. Fernandez, N.A. Bailey and H. Adams), 259

Cyclopalladation
Formation of an endo-type nine-membered metallocycle *via* insertion of diphenylacetylene into the σ(Pd-Csp^2, ferrocene) bond. X-Ray crystal structure of [Pd{{$(C_6H_5$–C≡C–$C_6H_5)_2(\eta^5$-$C_5H_3)$–CH=N–. CH_2–C_6H_5}Fe(η^5-C_5H_5)}Cl] · CH_2Cl_2 (C. López, X. Solans and D. Tramuns), 265

Cyclopentaannulation
Ring A modification of podocarpic acid derivatives: functionalization and cyclopentaannulation of ring C *via* (η^6-arene)tricarbonylchromium(0) complexes (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 149

Cyclopentadienide
The effects of t-butyl substituents on the thermodynamic stability of the cyclopentadienide ion (T. Kinoshita, N. Murata, R. Fujita, Y. Yanagi and K. Takeuchi), 19

Cyclopentadienyl
Organometallic materials for non-linear optics. Second harmonic generation by (aryldiazovinylidene)ruthenium complexes; X-ray structure of [Ru(C=CPhN=NC_6H_4OMe-4)$(PPh_3)_2(\eta$-$C_5H_5)$][BF_4] · CH_2Cl_2 (I.R. Whittall, M.P. Cifuentes, M.J. Costigan, M.G. Humphrey, S.C. Goh, B.W. Skelton and A.H. White), 193
Structure of carbonylchloro(η^1-cyclopentadienyl) (methyldiphenylphosphine)platinum (R.J. Cross, L.J. Farrugia and K.E.A. Kuma), 273

Cyclopentenone
Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes (G.F. Mohmand, K. Thiele and M.J. Went), 241

Digermoxane
Photochemical reactions of germoxanes: generation of germyl and germoxy radicals (K. Mochida, S. Mori, C. Yoshizawa, S. Tokura, M. Wakasa and H. Hayashi), 47

Diolefin
π-Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen (J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao), 249

Diterpenoid
Cyclopentaannulation of podocarpic acid derivatives *via* (η^6-arene)tricarbonylchromium(0) complexes; ring D modification (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 133

Electrochemistry
The redox behaviour of ferrocene derivatives. VI. Benzylferrocenes. The crystal structure of decabenzylferrocenium tetrafluoroborate (P. Zanello, A. Cinquantini, S. Mangani, G. Opromolla, L. Pardi, C. Janiak and M.D. Rausch), 171

Electronic
Complexes of polyhydro-2,2′-bipyridines with molybdenum and tungsten carbonyls (S. Bokorny, J.A. Connor and H. Kaspar), 157

Electron spin resonance
Radical cations from trialkylsilanes: a computational study of structures and energetics (C. Glidewell and C.J. Rhodes), 43
Structures and energetics of radical cations containing tributyltin fragments: a PM3 study (C. Glidewell and C.J. Rhodes), 71

Equilibria
On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations (A.S. Peregudov, E.M. Rokhlina and D.N. Kravtsov), C1

Ferrocene
The redox behaviour of ferrocene derivatives. VI. Benzylferrocenes. The crystal structure of decabenzylferrocenium tetrafluoroborate (P. Zanello, A. Cinquantini, S. Mangani, G. Opromolla, L. Pardi, C. Janiak and M.D. Rausch), 171

Ferrocenylacetylide
Oxidized Fe^{II} ferrocenylacetylide complexes. A novel type of mixed-valence complex (M. Sato, Y. Hayashi, H. Shintate, M. Katada and S. Kawata), 179

Fluorine
On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations (A.S. Peregudov, E.M. Rokhlina and D.N. Kravtsov), C1

Fluxionality
Coordination of primary amine ligands to an allyl ruthenium(IV) centre (J.W. Steed and D.A. Tocher), 221
Reactions of (η^5-C_5Me_5)Ta(PMe_3)$(H)_2(\eta^2$-$CHPMe_2$) with heterocumulenes and the interconversion of tautomeric formamido complexes of tantalum (V.C. Gibson and T.P. Kee), 105

Formamido
Reactions of (η^5-C_5Me_5)Ta(PMe_3)$(H)_2(\eta^2$-$CHPMe_2$) with heterocumulenes and the interconversion of tautomeric formamido complexes of tantalum (V.C. Gibson and T.P. Kee), 105

Functionalization
Ring A modification of podocarpic acid derivatives: functionalization and cyclopentaannulation of ring C *via* (η^6-arene)tricarbonylchromium(0) complexes (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 149

Germanium
Photochemical reactions of germoxanes: generation of germyl and germoxy radicals (K. Mochida, S. Mori, C. Yoshizawa, S. Tokura, M. Wakasa and H. Hayashi), 47

Group 14
Trialkyltin cation in solution (M. Kira, T. Oyamada and H. Sakurai), C4

Hardness
On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations (A.S. Peregudov, E.M. Rokhlina and D.N. Kravtsov), C1

Heterocumulenes
Reactions of (η^5-C_5Me_5)Ta(PMe_3)($H)_2$(η^2-CHPMe_2) with heterocumulenes and the interconversion of tautomeric formamido complexes of tantalum (V.C. Gibson and T.P. Kee), 105
Homolysis
Photochemical reactions of germoxanes: generation of germyl and germoxy radicals (K. Mochida, S. Mori, C. Yoshizawa, S. Tokura, M. Wakasa and H. Hayashi), 47
Hydrogen bonding
A reinvestigation of the crystal structure of the organotin complex formed in the reaction of butyltin trichloride with 1-(2-methyl-2,3-dihydrobenzothiazol-2-yl)-propan-2-one (W. Chen), 69
Vibrational and ^{119}Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV) (D. Tudela), 63
Imide
Synthesis and molecular structure of the organometallic allylimido complex [*cis*,*trans*-$WCl_2(Ph_2PMe)_2(CO)(NCH_2$-$CH{=}CH_2)$] (G.D. Forster and G. Hogarth), 161
Imine
Synthesis and reactivity of *N*,*N*′-bis [*o*-(diphenylphosphino)benzylidene-2,2′-diimino-1,1′-binaphthylene (Binap-P_2N_2). Crystal structure of [Ag(Binap-P_2N_2)][BF_4] (W.-K. Wong, J.-X. Gao, W.-T. Wong, W.C. Cheng and C.-M. Che), 277
Infrared spectroscopy
Vibrational and ^{119}Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV) (D. Tudela), 63
Iridium
π-Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen (J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao), 249
Iron
Carbon–selenium bond cleavage in the double butterfly complex [{$(CO)_6Fe_2(\mu$-Se$)_2$}$_2${C(Ph)–C(H)}] and the synthesis and X-ray structural analysis of its dppe-substituted derivative (P. Mathur, Md.M. Hossain and M.F. Mahon), 185
Mössbauer spectroscopy of (benzylideneacetone)$Fe(CO)_2L$ complexes with L = CO, phosphites and phosphines. An analysis of ligand effects (E.J.S. Vichi, E. Stein and E.B. Saitovitch), 165
Neue FeAsS-Käfigstrukturen aus [$Cp^+Fe(CO)_2]_2$ (Cp^+ = C_5Me_4Et) und Realgar (H. Brunner, L. Poll, J. Wachter und B. Nuber), 117
Oxidized Fe^{II} ferrocenylacetylide complexes. A novel type of mixed-valence complex (M. Sato, Y. Hayashi, H. Shintate, M. Katada and S. Kawata), 179
The hemilabile behaviour of alkyl diphenylphosphinoacetate ligands promoting the reversible coordination of small molecules on (η^6-arene)ruthenium(II) centres (B. Demerseman, C. Renouard, R. Le Lagadec, M. Gonzalez, P. Crochet and P.H. Dixneuf), 229
Isocyanate
Reactions of (η^5-C_5Me_5)Ta(PMe_3)($H)_2$(η^2-CHPMe_2) with heterocumulenes and the interconversion of tautomeric formamido complexes of tantalum (V.C. Gibson and T.P. Kee), 105
Lanthanides
Lanthanocene (Ln = Pr^{III}, Yb^{III}) chlorides involving tetramethyldisiloxane-interlinked cyclopentadienyl ligands (J. Gräper, R.D. Fischer and G. Paolucci), 87
Lanthanoid
New dinuclear bis(cyclopentadienyl)lanthanoid chlorides containing η^5-C_5H_4 ligands linked by a metal-coordinated 2,6-dimethylenepyridyl unit (G. Paolucci, R. D'Ippolito, C. Ye, C. Qian, J. Gräper and D.R. Fischer), 97
Lanthanum
New dinuclear bis(cyclopentadienyl)lanthanoid chlorides containing η^5-C_5H_4 ligands linked by a metal-coordinated 2,6-dimethylenepyridyl unit (G. Paolucci, R. D'Ippolito, C. Ye, C. Qian, J. Gräper and D.R. Fischer), 97
Lead
On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations (A.S. Peregudov, E.M. Rokhlina and D.N. Kravtsov), C1
Lithium
Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. IX. Eine ungewöhnliche Koordinationsgeometrie des Platin(II) in dem homoleptischen Metallacyclopentankomplex [Li(PMDETA)]$_2$Pt–(CH_2CH_2-$CH_2CH_2)_2$ (H.-O. Fröhlich, R. Wyrwa, H. Görls und U. Pieper), 23
The effects of t-butyl substituents on the thermodynamic stability of the cyclopentadienide ion (T. Kinoshita, N. Murata, R. Fujita, Y. Yanagi and K. Takeuchi), 19
Lutetium
New dinuclear bis(cyclopentadienyl)lanthanoid chlorides containing η^5-C_5H_4 ligands linked by a metal-coordinated 2,6-dimethylenepyridyl unit (G. Paolucci, R. D'Ippolito, C. Ye, C. Qian, J. Gräper and D.R. Fischer), 97
Macrocycle
Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes (G.F. Mohmand, K. Thiele and M.J. Went), 241
Magnesium
On pentaorganylstiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes (L.-J. Zhang, X.-S. Mo and Y.-Z. Huang), 77
Mercury
Interaction of methyl- and phenyl-mercury(II) with the tripod ligand tris(2-dimethylaminoethyl)amine (C.A. Ghilardi, S. Midollini, A. Orlandini and A. Vacca), 29
Tin/mercury exchange in 1,2-distannyl-1-alkenes and 1-silyl-2-stannyl-1-alkenes (T.N. Mitchell and B. Kowall), 39
Two-dimensional ^{13}C,^{199}Hg correlation: a new NMR method for characterisation of organomercury compounds (T. Fäcke and S. Berger), 35
Metallacycle
Chemistry of polynuclear allenyl complexes: the μ-η^1 : η^2-allenyl diruthenium system $Ru_2(CO)_6(\mu$-$PPh_2)(\mu$-η^1 : η^2-C(Ph)=$C{=}CH_2)$. Dimetallocycles via C–C, C–N and C–S bond forming reactions and the X-ray structure of $Ru_2(CO)_6(\mu$-$PPh_2)[\mu$-η^1 : η^1-PhC=C{C(EtS)N(H)^{t}Bu}CH_2] (S.M. Breckenridge, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio and E. Sappa), 211
Metallation
Formation of an endo-type nine-membered metallocycle *via* insertion of diphenylacetylene into the σ(Pd-Csp^2, ferrocene) bond. X-Ray crystal structure of [Pd{{$(C_6H_5$–C=C–$C_6H_5)_2$(η^5-C_5H_3)–CH=N–. CH_2–C_6H_5}Fe(η^5-C_5H_5)}Cl] · CH_2Cl_2 (C. López, X. Solans and D. Tramuns), 265

Metallocenes
Lanthanocene (Ln = Pr^{III}, Yb^{III}) chlorides involving tetramethyldisiloxane-interlinked cyclopentadienyl ligands (J. Gräper, R.D. Fischer and G. Paolucci), 87
Oxidized Fe^{II} ferrocenylacetylide complexes. A novel type of mixed-valence complex (M. Sato, Y. Hayashi, H. Shintate, M. Katada and S. Kawata), 179
Mixed-valence complex
Oxidized Fe^{II} ferrocenylacetylide complexes. A novel type of mixed-valence complex (M. Sato, Y. Hayashi, H. Shintate, M. Katada and S. Kawata), 179
Molecular orbital calculations
Linear *vs.* bent M–O–R bonds in d^0 metal alkoxides: X-ray crystal structure of $(C_5Me_5)Ta(S^tBu)_3(O^nBu)$ and EHMO analysis (K. Tatsumi, A. Tahara and A. Nakamura), 111
Structures and energetics of radical cations containing tributyltin fragments: a PM3 study (C. Glidewell and C.J. Rhodes), 71
Molybdenum
Complexes of polyhydro-2,2′-bipyridines with molybdenum and tungsten carbonyls (S. Bokorny, J.A. Connor and H. Kaspar), 157
π-Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen (J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao), 249
Mössbauer spectroscopy
Mössbauer spectroscopy of (benzylideneacetone)$Fe(CO)_2L$ complexes with L = CO, phosphites and phosphines. An analysis of ligand effects (E.J.S. Vichi, E. Stein and E.B. Saitovitch), 165
Vibrational and ^{119}Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV) (D. Tudela), 63
Multidentate ligands
Synthesis and reactivity of *N,N′*-bis [*o*-(diphenylphosphino)benzylidene-2,2′-diimino-1,1′-binaphthylene (Binap-P_2N_2). Crystal structure of [Ag(Binap-P_2N_2)][BF_4] (W.-K. Wong, J.-X. Gao, W.-T. Wong, W.C. Cheng and C.-M. Che), 277
Nitrosyl
Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters $Cp_2Cr_2(\mu\text{-}SCMe_3)_2(\mu_4\text{-}S)W_2(\mu\text{-}I)_2(CO)_4(NO)_2$ and $Cp_2Cr_2(\mu_3\text{-}S)_2(\mu\text{-}SCMe_3)_2W(SCMe_3)(NO)$ (I.L. Eremenko, H. Berke, B.I. Kolobkov and V.M. Novotortsev), 123
Nuclear magnetic resonance
π-Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen (J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao), 249
On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations (A.S. Peregudov, E.M. Rokhlina and D.N. Kravtsov), C1
Tin/mercury exchange in 1,2-distannyl-1-alkenes and 1-silyl-2-stannyl-1-alkenes (T.N. Mitchell and B. Kowall), 39
Two-dimensional $^{13}C,^{199}Hg$ correlation: a new NMR method for characterisation of organomercury compounds (T. Fäcke and S. Berger), 35
Oxidation
Oxidation of organoplatinum(II) and -palladium(II) complexes by water. The X-ray structure of the trimethylpalladium(IV) complex *fac*-[$PdMe_3$(tris(pyrazol-1-yl)borate)] formed on oxidation of a dimethylpalladium(II) reagent (A.J. Canty, R.T. Honeyman, A.S. Roberts, P.R. Traill, R. Colton, B.W. Skelton and A.H. White), C8
Oxidative addition
C–O bond cleavage and oxidative addition of allyl carboxylate to ruthenium(0) complex. Isolation of (π-allyl)(trifluoroacetato)tris(triethylphosphine)ruthenium(II) (S. Komiya, T. Kabasawa, K. Yamashita, M. Hirano and A. Fukuoka), C6
Palladium
Cyclometallated compounds of palladium(II) with diphosphines. The X-ray crystal structure of [{Pd[2,3,4-$(MeO)_3C_6$-HC(H)=NCy]}$_2$(μ-$Ph_2PC(=CH_2)PPh_2$)Cl_2] (J.M. Vila, M. Gayoso, J.J. Fernandez, J.M. Ortigueira, A. Fernandez, N.A. Bailey and H. Adams), 259
Formation of an endo-type nine-membered metallocycle *via* insertion of diphenylacetylene into the σ(Pd-Csp^2, ferrocene) bond. X-Ray crystal structure of [Pd{{$(C_6H_5$–C≡C–$C_6H_5)_2(\eta^5\text{-}C_5H_3)$–CH=N–. CH_2–C_6H_5}Fe(η^5-C_5H_5)}Cl] · CH_2Cl_2 (C. López, X. Solans and D. Tramuns), 265
Oxidation of organoplatinum(II) and -palladium(II) complexes by water. The X-ray structure of the trimethylpalladium(IV) complex *fac*-[$PdMe_3$(tris(pyrazol-1-yl)borate)] formed on oxidation of a dimethylpalladium(II) reagent (A.J. Canty, R.T. Honeyman, A.S. Roberts, P.R. Traill, R. Colton, B.W. Skelton and A.H. White), C8
Pauson-Khand reaction
Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes (G.F. Mohmand, K. Thiele and M.J. Went), 241
Phosphine
C–O bond cleavage and oxidative addition of allyl carboxylate to ruthenium(0) complex. Isolation of (π-allyl)(trifluoroacetato)tris(triethylphosphine)ruthenium(II) (S. Komiya, T. Kabasawa, K. Yamashita, M. Hirano and A. Fukuoka), C6
Mössbauer spectroscopy of (benzylideneacetone)$Fe(CO)_2L$ complexes with L = CO, phosphites and phosphines. An analysis of ligand effects (E.J.S. Vichi, E. Stein and E.B. Saitovitch), 165
Synthesis and molecular structure of the organometallic allylimido complex [*cis,trans*-$WCl_2(Ph_2PMe)_2(CO)(NCH_2$-$CH=CH_2)$] (G.D. Forster and G. Hogarth), 161
The hemilabile behaviour of alkyl diphenylphosphinoacetate ligands promoting the reversible coordination of small molecules on (η^6-arene)ruthenium(II) centres (B. Demerseman, C. Renouard, R. Le Lagadec, M. Gonzalez, P. Crochet and P.H. Dixneuf), 229
Phosphite
Mössbauer spectroscopy of (benzylideneacetone)$Fe(CO)_2L$ complexes with L = CO, phosphites and phosphines. An analysis of ligand effects (E.J.S. Vichi, E. Stein and E.B. Saitovitch), 165
Photochemistry
Photochemical reactions of germoxanes: generation of germyl and germoxy radicals (K. Mochida, S. Mori, C. Yoshizawa, S. Tokura, M. Wakasa and H. Hayashi), 47
Platinum
Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. IX. Eine ungewöhnliche Koordinationsgeometrie des Platin(II) in dem homoleptischen Metallacyclopentankomplex [Li(PMDETA)]$_2$Pt–(CH_2-$CH_2CH_2CH_2)_2$ (H.-O. Fröhlich, R. Wyrwa, H. Görls und U. Pieper), 23

Oxidation of organoplatinum(II) and -palladium(II) complexes by water. The X-ray structure of the trimethylpalladium(IV) complex *fac*-[$PdMe_3${tris(pyrazol-1-yl)borate}] formed on oxidation of a dimethylpalladium(II) reagent (A.J. Canty, R.T. Honeyman, A.S. Roberts, P.R. Traill, R. Colton, B.W. Skelton and A.H. White), C8

Structure of carbonylchloro(η^1-cyclopentadienyl) (methyldiphenylphosphine)platinum (R.J. Cross, L.J. Farrugia and K.E.A. Kuma), 273

Podocarpic acid derivatives

Ring A modification of podocarpic acid derivatives: functionalization and cyclopentaannulation of ring C *via* (η^6-arene)tricarbonylchromium(0) complexes (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 149

Polydentate

Interaction of methyl- and phenyl-mercury(II) with the tripod ligand tris(2-dimethylaminoethyl)amine (C.A. Ghilardi, S. Midollini, A. Orlandini and A. Vacca), 29

Potassium

The effects of t-butyl substituents on the thermodynamic stability of the cyclopentadienide ion (T. Kinoshita, N. Murata, R. Fujita, Y. Yanagi and K. Takeuchi), 19

Praseodymium

Lanthanocene (Ln = Pr^{III}, Yb^{III}) chlorides involving tetramethyldisiloxane-interlinked cyclopentadienyl ligands (J. Gräper, R.D. Fischer and G. Paolucci), 87

Radical cations

Radical cations from trialkylsilanes: a computational study of structures and energetics (C. Glidewell and C.J. Rhodes), 43

Structures and energetics of radical cations containing tributyltin fragments: a PM3 study (C. Glidewell and C.J. Rhodes), 71

Raman spectroscopy

Vibrational and ^{119}Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV) (D. Tudela), 63

Rare earth metals

New dinuclear bis(cyclopentadienyl)lanthanoid chlorides containing η^5-C_5H_4 ligands linked by a metal-coordinated 2,6-dimethylenepyridyl unit (G. Paolucci, R. D'Ippolito, C. Ye, C. Qian, J. Gräper and D.R. Fischer), 97

Ring A modification

Ring A modification of podocarpic acid derivatives: functionalization and cyclopentaannulation of ring C *via* (η^6-arene)tricarbonylchromium(0) complexes (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 149

Ruthenium

Chemistry of polynuclear allenyl complexes: the μ-$\eta^1:\eta^2$-allenyl diruthenium system $Ru_2(CO)_6(\mu\text{-}PPh_2)(\mu\text{-}\eta^1:\eta^2\text{-}C(Ph)=C=CH_2)$. Dimetallocycles via C–C, C–N and C–S bond forming reactions and the X-ray structure of $Ru_2(CO)_6(\mu\text{-}PPh_2)[\mu\text{-}\eta^1:\eta^1\text{-}PhC=C\{C(EtS)N(H)^tBu\}CH_2]$ (S.M. Breckenridge, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio and E. Sappa), 211

C–O bond cleavage and oxidative addition of allyl carboxylate to ruthenium(0) complex. Isolation of (π-allyl)(trifluoroacetato)tris(triethylphosphine)ruthenium(II) (S. Komiya, T. Kabasawa, K. Yamashita, M. Hirano and A. Fukuoka), C6

Coordination of primary amine ligands to an allyl ruthenium(IV) centre (J.W. Steed and D.A. Tocher), 221

Organometallic materials for non-linear optics. Second harmonic generation by (aryldiazovinylidene)ruthenium complexes; X-ray structure of [$Ru(C=CPhN=NC_6H_4OMe\text{-}4)(PPh_3)_2(\eta\text{-}C_5H_5)][BF_4]\cdot CH_2Cl_2$ (I.R. Whittall, M.P. Cifuentes, M.J. Costigan, M.G. Humphrey, S.C. Goh, B.W. Skelton and A.H. White), 193

Synthesis, structure, and oxidation-induced dimerization of a chelating bis(phosphite) Ruthenium carbonyl (B. Moasser, C. Gross and W.L. Gladfelter), 201

The hemilabile behaviour of alkyl diphenylphosphinoacetate ligands promoting the reversible coordination of small molecules on (η^6-arene)ruthenium(II) centres (B. Demerseman, C. Renouard, R. Le Lagadec, M. Gonzalez, P. Crochet and P.H. Dixneuf), 229

Second harmonic generation

Organometallic materials for non-linear optics. Second harmonic generation by (aryldiazovinylidene)ruthenium complexes; X-ray structure of [$Ru(C=CPhN=NC_6H_4OMe\text{-}4)(PPh_3)_2(\eta\text{-}C_5H_5)][BF_4]\cdot CH_2Cl_2$ (I.R. Whittall, M.P. Cifuentes, M.J. Costigan, M.G. Humphrey, S.C. Goh, B.W. Skelton and A.H. White), 193

Selenium

Carbon–selenium bond cleavage in the double butterfly complex [$\{(CO)_6Fe_2(\mu\text{-}Se)_2\}_2\{C(Ph)\text{–}C(H)\}$] and the synthesis and X-ray structural analysis of its dppe-substituted derivative (P. Mathur, Md.M. Hossain and M.F. Mahon), 185

Silicon

On pentaorganylstiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes (L.-J. Zhang, X.-S. Mo and Y.-Z. Huang), 77

Radical cations from trialkylsilanes: a computational study of structures and energetics (C. Glidewell and C.J. Rhodes), 43

Tin/mercury exchange in 1,2-distannyl-1-alkenes and 1-silyl-2-stannyl-1-alkenes (T.N. Mitchell and B. Kowall), 39

Silver

Synthesis and reactivity of *N,N'*-bis [*o*-(diphenylphosphino)benzylidene-2,2'-diimino-1,1'-binaphthylene (Binap-P_2N_2). Crystal structure of [Ag(Binap-P_2N_2)][BF_4] (W.-K. Wong, J.-X. Gao, W.-T. Wong, W.C. Cheng and C.-M. Che), 277

Solvatochromism

Complexes of polyhydro-2,2'-bipyridines with molybdenum and tungsten carbonyls (S. Bokorny, J.A. Connor and H. Kaspar), 157

Solvochromatic properties

Organometallic materials for non-linear optics. Second harmonic generation by (aryldiazovinylidene)ruthenium complexes; X-ray structure of [$Ru(C=CPhN=NC_6H_4OMe\text{-}4)(PPh_3)_2(\eta\text{-}C_5H_5)][BF_4]\cdot CH_2Cl_2$ (I.R. Whittall, M.P. Cifuentes, M.J. Costigan, M.G. Humphrey, S.C. Goh, B.W. Skelton and A.H. White), 193

Steroid synthesis

Cyclopentaannulation of podocarpic acid derivatives *via* (η^6-arene)tricarbonylchromium(0) complexes; ring D modification (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 133

Tantalum

Linear *vs.* bent M–O–R bonds in d^0 metal alkoxides: X-ray crystal structure of (C_5Me_5)Ta(S^tBu)$_3$(O^nBu) and EHMO analysis (K. Tatsumi, A. Tahara and A. Nakamura), 111

Reactions of (η^5-C_5Me_5)Ta(PMe_3)(H)$_2$(η^2-$CHPMe_2$) with heterocumulenes and the interconversion of tautomeric formamido complexes of tantalum (V.C. Gibson and T.P. Kee), 105

Thermodynamics
The effects of t-butyl substituents on the thermodynamic stability of the cyclopentadienide ion (T. Kinoshita, N. Murata, R. Fujita, Y. Yanagi and K. Takeuchi), 19
Thioether
Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes (G.F. Mohmand, K. Thiele and M.J. Went), 241
Thiolate
Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters $Cp_2Cr_2(\mu\text{-}SCMe_3)_2(\mu_4\text{-}S)W_2(\mu\text{-}I)_2(CO)_4(NO)_2$ and $Cp_2Cr_2(\mu_3\text{-}S)_2(\mu\text{-}SCMe_3)_2W(SCMe_3)(NO)$ (I.L. Eremenko, H. Berke, A.A.H. Van der Zeijden, B.I. Kolobkov and V.M. Novotortsev), 123
Linear *vs.* bent M–O–R bonds in d^0 metal alkoxides: X-ray crystal structure of $(C_5Me_5)Ta(S^tBu)_3(O^nBu)$ and EHMO analysis (K. Tatsumi, A. Tahara and A. Nakamura), 111
Thiophosphate
Synthesis and characterization of diorganotin diethylphosphorothioates. Crystal structures of $([Me_2Sn\{O(S)P(OEt)_2\}]_2O)_2$ and $[^tBu_2Sn(\mu\text{-}OH)\{O(S)P(OEt)_2\}]_2$ (V.B. Mokal, V.K. Jain and E.R.T. Tiekink), 53
Tin
A reinvestigation of the crystal structure of the organotin complex formed in the reaction of butyltin trichloride with 1-(2-methyl-2,3-dihydrobenzothiazol-2-yl)-propan-2-one (W. Chen),69
On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations (A.S. Peregudov, E.M. Rokhlina and D.N. Kravtsov), C1
Structures and energetics of radical cations containing tributyltin fragments: a PM3 study (C. Glidewell and C.J. Rhodes), 71
Synthesis and characterization of diorganotin diethylphosphorothioates. Crystal structures of $([Me_2Sn\{O(S)P(OEt)_2\}]_2O)_2$ and $[^tBu_2Sn(\mu\text{-}OH)\{O(S)P(OEt)_2\}]_2$ (V.B. Mokal, V.K. Jain and E.R.T. Tiekink), 53
Tin/mercury exchange in 1,2-distannyl-1-alkenes and 1-silyl-2-stannyl-1-alkenes (T.N. Mitchell and B. Kowall), 39
Trialkyltin cation in solution (M. Kira, T. Oyamada and H. Sakurai), C4
Vibrational and ^{119}Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV) (D. Tudela), 63
Transition metals general
Transition metal complexes in the chemistry of vinylcyclopropanes (R.I. Khusnutdinov and U.M. Dzhemilev), 1
Tungsten
Complexes of polyhydro-2,2′-bipyridines with molybdenum and tungsten carbonyls (S. Bokorny, J.A. Connor and H. Kaspar), 157
Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters $Cp_2Cr_2(\mu\text{-}SCMe_3)_2(\mu_4\text{-}S)W_2(\mu\text{-}I)_2(CO)_4(NO)_2$ and $Cp_2Cr_2(\mu_3\text{-}S)_2(\mu\text{-}SCMe_3)_2W(SCMe_3)(NO)$ (I.L. Eremenko, H. Berke, A.A.H. Van der Zeijden, B.I. Kolobkov and V.M. Novotortsev), 123
Synthesis and molecular structure of the organometallic allylimido complex $[cis,trans\text{-}WCl_2(Ph_2PMe)_2(CO)(NCH_2\text{-}CH{=}CH_2)]$ (G.D. Forster and G. Hogarth), 161
Vinylcyclopropane
Transition metal complexes in the chemistry of vinylcyclopropanes (R.I. Khusnutdinov and U.M. Dzhemilev), 1
Water
Oxidation of organoplatinum(II) and -palladium(II) complexes by water. The X-ray structure of the trimethylpalladium(IV) complex *fac*-$[PdMe_3\{tris(pyrazol\text{-}1\text{-}yl)borate\}]$ formed on oxidation of a dimethylpalladium(II) reagent (A.J. Canty, R.T. Honeyman, A.S. Roberts, P.R. Traill, R. Colton, B.W. Skelton and A.H. White), C8
X-ray diffraction
Carbon–selenium bond cleavage in the double butterfly complex $[\{(CO)_6Fe_2(\mu\text{-}Se)_2\}_2\{C(Ph)\text{–}C(H)\}]$ and the synthesis and X-ray structural analysis of its dppe-substituted derivative (P. Mathur, Md.M. Hossain and M.F. Mahon), 185
Cyclometallated compounds of palladium(II) with diphosphines. The X-ray crystal structure of $[\{Pd[2,3,4\text{-}(MeO)_3C_6\text{-}HC(H){=}NCy]\}_2(\mu\text{-}Ph_2PC(=CH_2)PPh_2)Cl_2]$ (J.M. Vila, M. Gayoso, J.J. Fernandez, J.M. Ortigueira, A. Fernandez, N.A. Bailey and H. Adams), 259
Formation of an endo-type nine-membered metallocycle *via* insertion of diphenylacetylene into the σ(Pd-Csp^2, ferrocene) bond. X-Ray crystal structure of $[Pd\{\{(C_6H_5\text{–}C{=}C\text{–}C_6H_5)_2(\eta^5\text{-}C_5H_3)\text{–}CH{=}N\text{–}.\ CH_2\text{–}C_6H_5\}Fe(\eta^5\text{-}C_5H_5)\}Cl]\cdot CH_2Cl_2$ (C. López, X. Solans and D. Tramuns), 265
Linear *vs.* bent M–O–R bonds in d^0 metal alkoxides: X-ray crystal structure of $(C_5Me_5)Ta(S^tBu)_3(O^nBu)$ and EHMO analysis (K. Tatsumi, A. Tahara and A. Nakamura), 111
π-Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen (J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao), 249
The redox behaviour of ferrocene derivatives. VI. Benzylferrocenes. The crystal structure of decabenzylferrocenium tetrafluoroborate (P. Zanello, A. Cinquantini, S. Mangani, G. Opromolla, L. Pardi, C. Janiak and M.D. Rausch), 171
Ytterbium
Lanthanocene (Ln = Pr^{III}, Yb^{III}) chlorides involving tetramethyldisiloxane-interlinked cyclopentadienyl ligands (J. Gräper, R.D. Fischer and G. Paolucci), 87
Book Reviews
Energetics of Organometallic Species. J.A. Martinho Simões (ed.), NATO ASI Series, Mathematical and Physical Sciences, Vol. 367, Kluwer Academic Publishers (G.J. Leigh), C12
Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edn., Sn Organotin Compounds, Part 20 (Colin Eaborn), C13
Macmillan's Chemical and Physical Data, A.M. James and M.P. Lord, The Macmillan Press Ltd., London and Basingstoke (G.J. Leigh), C11
Ylides and Imines of Phosphorus. A.W. Johnson (with special contributions from W.C. Kaska, K.A.O. Starzewski, and D.A. Dixon) (M.F. Lappert), C11